TOSTOT"SE2T866D



FIG. 1

US 10,210,382 B2



FIG. 2

TO6TOF'5C2T0660



FIG. 3



FIG. 4


START
10
SHUTDOWN SYSTEM
20
YES
NO
STOP
110
SELECT CAMERA
30
ADD HUMAN SENSIBLE INDICATOR TO MONITOR VIEW
40
DISPLAY CANDIDATE ACTIVITY EVENTS BASED ON SENSOR INFORMATION
50
SELECT AN ACTIVITY EVENT
60
SELECT HEIGHT INFORMATION FOR SELECTED ACTIVITY EVENT
70
SELECT AND DRIVE CAMERA PAN/TILT/ZOOM TO CAPTURE ACTIVITY
80
UPDATE HUMAN SENSIBLE INDICATOR WITH CAMERA DECISION SUPPORT INFORMATION
90
HAS OPERATOR CHANGED CAMERA?
100
NO
YES

FIG. 5

TOSHIBA SEC10660

MEETING TYPE (60)	OBJECT (70)	ACTION (80)
TOWN MEETING	CAMERA	AUTOTRACKING
TOWN MEETING	CAMERA HOLD MAX	30
TOWN MEETING	CAMERA HOLD MIN	20
TELECONFERENCE	CAMERA HOLD MAX	45
TELECONFERENCE	CAMERA HOLD MAX	5

50

FIG. 6

```
if(target1.location) == near(front_of_table) then target1.height=SITTING;
if(target1.location) == far(front_of_table) then target1.height=STANDING;
if(target1.location) == near(front_of_podium) then (active_camera = camer3, target1.height=15);
ifif(target1.location) == near(back_of_table) then target1.height=STANDING;
```

90

FIG. 7